



**Eur päisches  
Patentamt**

**European  
Patent Office**

**Office eur péen  
des brevets**

Q 77431  
191

**Bescheinigung**

**Certificate**

**Attestation**

Die angehefteten Unterla-  
gen stimmen mit der  
ursprünglich eingereichten  
Fassung der auf dem näch-  
sten Blatt bezeichneten  
europäischen Patentanmel-  
dung überein.

The attached documents  
are exact copies of the  
European patent application  
described on the following  
page, as originally filed.

Les documents fixés à  
cette attestation sont  
conformes à la version  
initialement déposée de  
la demande de brevet  
européen spécifiée à la  
page suivante.

**Patentanmeldung Nr.    Patent application No.    Demande de brevet n°**

02360289.9

Der Präsident des Europäischen Patentamts;  
Im Auftrag

For the President of the European Patent Office

Le Président de l'Office européen des brevets  
p.o.

**R C van Dijk**

DEN HAAG, DEN  
THE HAGUE,    04/12/02  
LA HAYE, LE





Eur päisches  
Patentamt

Eur pean  
Patent Office

Office eur péen  
des brevets

**Blatt 2 d r Bescheinigung**  
**Sheet 2 of the certificate**  
**Page 2 de l'attestation**

Anmeldung Nr.:  
Application no.:  
Demande n°:

02360289.9

Anmeldetag:  
Date of filing:  
Date de dépôt:

22/10/02

Anmelder:  
Applicant(s):  
Demandeur(s):  
ALCATEL  
75008 Paris  
FRANCE

Bezeichnung der Erfindung:  
Title of the invention:  
Titre de l'invention:

Method and system for informing a person that a WLAN is accessible

In Anspruch genommene Priorität(en) / Priority(ies) claimed / Priorité(s) revendiquée(s)

Staat:  
State:  
Pays:

Tag:  
Date:  
Date:

Aktenzeichen:  
File no.  
Numéro de dépôt:

Internationale Patentklassifikation:  
International Patent classification:  
Classification internationale des brevets:

/

Am Anmeldetag benannte Vertragsstaaten:  
Contracting states designated at date of filing:  
Etats contractants désignés lors du dépôt:

AT/BE/CH/CY/DE/DK/ES/FI/FR/GB/GR/IE/IT/LI/LU/MC/NL/PT/SE/TR

Bemerkungen:  
Remarks:  
Remarques:



## SPECIFICATION

The present invention is related to the field of telecommunications, more particularly to the detection procedures of and to the accessing procedures to wireless local area networks (WLANs), and concerns a method for informing of the possibility to access to a WLAN,  
5 and a system able to perform such a method.

Today, WLAN technology is rapidly spreading and is more and more considered in Public environments. WLAN access points are being deployed in public hotspots such as airports, hotels, train stations, conference centers or similar.

10 They allow a mobile WLAN user to access Internet services or Intranet company services through PDA or laptop computers equipped with a WLAN card.

These Public WLANs can be managed by WISP (Wireless Internet Service Provider) and/or Mobile Operator, even the site owner with  
15 the dedicated agreements between these business entities.

The problem today is that only few WLAN areas are deployed with limited radio coverage area. When a mobile user arrives in a public area, he or she does not know if a public WLAN access exists and where it could be located in this hotspot.

20 The technical problem to be solved by the invention is to signal/notify the mobile user that public or non public WLAN services are available in a specific area.

Indeed, the solution nowadays for the mobile user is to know exactly in which public areas WLANs are deployed in the world through  
25 documentation paper lists. It needs therefore a frequent search effort and a huge accuracy since, for example, only a restricted areas are covered, such as within a airport (dedicated lounges, coffee bars,...).

WO 01/01711 describes a partial solution to the problem exposed beforehand, wherein a teleoperator notifies a user through a SMS  
30 message that a WLAN is available near said user. This detection and notification is performed, automatically or on demand, using location services.

Nevertheless, this notification is not carried out in real time and uses stored information, without verifying the real existence of the WLAN, nor the availability of said latter for the concerned user.

5       The purpose of the present invention is to overcome these drawbacks.

To this effect, the present invention concerns a method for informing a person that he or she can access to a WLAN, said person carrying or being associated with a mobile data terminal and a radiotelephone terminal, method characterised in that it consists in:

- 10               - first detecting the presence of the WLAN, by receiving identity or presence signals broadcasted by a or the radio access point of the considered WLAN, with a radio receiver associated to or integrated in said mobile data terminal and which is adapted and susceptible to receive radio signals  
15               - then sending a signal or a message, via a short range radio transmitter, to said radiotelephone terminal equipped with an adapted receiver, in order to inform said person that he or she can access to said WLAN.

20       Beforehand, said mobile data terminal is put in a mode (preferably with low power consumption) in which it scans periodically, preferably at (a) given frequency(ies) or within a given frequency range, for the existence of an identity or a presence signal from a WLAN for which the considered person is a potential user.

25       Advantageously, the scanning for an available WLAN is based on detection of a or the network identifier broadcasted by the or a WLAN to which the concerned person has subscribed.

30       According to an other feature of the invention, a successful detection of a WLAN to which the concerned person has subscribed can also be notified directly by the mobile data terminal, by means of an audio signal and/or a visual message displayed on its screen.

35       In relation with a preferred embodiment, the mobile data terminal and the radiotelephone terminal are equipped with wireless personal area network interfaces, such as so-called IrDa and Bluetooth interfaces.

The present invention also concerns a portable communication system able to inform a person that he or she can access to a WLAN, said

system comprising a mobile data terminal and a radiotelephone terminal, characterised in that said mobile data terminal is associated with or integrates, on the one hand, a radio receiver which is adapted and susceptible to receive identity or presence radio signals broadcasted by a or  
5 the radio access point of the considered WLAN and, on the other hand, a short range radio transmitter, able to send a signal or a message in order to inform said person that he or she can access to said WLAN and in that said radiotelephone terminal is equipped with a receiver adapted to receive the signal or message sent by said short range transmitter of said mobile data  
10 terminal.

This system is advantageously able to perform the method described herein before.

This invention will be better understood thanks to the following description explaining a preferred embodiment of the invention as a non  
15 limitative example, in connection with the enclosed schematical drawing of a WLAN public access area, also illustrating a system performing the method according to the invention.

As shown on the enclosed figure, the method for informing a person 1 that he or she can access to a WLAN 2 mainly consists in:

- 20 - first detecting the presence of the WLAN 2, by receiving identity or presence signals broadcasted by a or the radio access point 5 of the considered WLAN 2, with a radio receiver associated to or integrated in said mobile data terminal 3 and which is adapted and susceptible to receive  
25 radio signals broadcasted by a WLAN, and,
- then sending a signal or a message, via a short range radio transmitter associated to said terminal 3, to said radiotelephone terminal 4 equipped with an adapted receiver, in order to inform said person 1 that he or she can  
30 access to said WLAN 2.

The mobile data terminal 3, such as a laptop computer or a PDA (Personal Digital Assistant), is in stand-by mode or in an operational mode and in these modes, the laptop/PDA scans periodically if the (public) WLAN is existing (based on detection of the subscriber Network Identifier –  
35 for example SSID in the IEEE 802.11 standard). If it exists, the laptop/PDA notifies immediately the user of the mobile phone, through the WPAN, that

a real public access, associated to his subscription, is deployed and also on the laptop/PDA screen.

Thus, the user knows, without effort, that an available WLAN can be accessed from his or hers present place and can connect straight away  
5 without any further checking.

The present invention is, of course, not limited to the preferred embodiments described herein and showed on the attached drawing, changes can be made or equivalents used without departing from the scope of the invention.



## CLAIMS

1) Method for informing a person that he or she can access to a WLAN, said person carrying or being associated with a mobile data terminal and a radiotelephone terminal, method characterised in that it consists in:

- 5                   - first detecting the presence of the WLAN (2), by receiving identity or presence signals broadcasted by a or the radio access point (5) of the considered WLAN (2), with a radio receiver associated to or integrated in said mobile data terminal (3) and which is adapted and susceptible to receive radio signals broadcasted by a WLAN, and,
- 10                   - then sending a signal or a message, via a short range radio transmitter, to said radiotelephone terminal (4) equipped with an adapted receiver, in order to inform said person (1) that he or she can access to said WLAN (2).

15                   2) Method according to claim 1, characterised in that it consists in putting beforehand said mobile data terminal (3) in a mode in which it scans periodically, preferably at (a) given frequency(ies) or within a given frequency range, for the existence of an identity or a presence signal from a WLAN (2) for which the considered person (1) is a potential user.

20                   3) Method according to anyone of claims 1 and 2, characterised in that the scanning for an available WLAN is based on detection of a or the network identifier broadcasted by the or a WLAN (2) to which the concerned person has subscribed.

25                   4) Method according to anyone of claims 1 to 3, characterised in that a successful detection of a WLAN (2) to which the concerned person (1) has subscribed is also notified directly by the mobile data terminal (3), by means of an audio signal and/or a visual message displayed on its screen.

30                   5) Method according to anyone of claims 1 to 4, characterised in that the mobile data terminal (3) and the radiotelephone terminal (4) are equipped with wireless personal area network (WPAN) interfaces, such as IrDa and Bluetooth interfaces.

6) Portable communication system able to inform a person that he or she can access to a WLAN, said system comprising a mobile data terminal and a radiotelephone terminal, characterised in that said mobile

data terminal (3) is associated with or integrates, on the one hand, a radio receiver which is adapted and susceptible to receive identity or presence radio signals broadcasted by a or the radio access point (5) of the considered WLAN (2) and, on the other hand, a short range radio transmitter, able to send a signal or a message in order to inform said person (1) that he or she can access to said WLAN (2) and in that said radiotelephone terminal (4) is equipped with a receiver adapted to receive the signal or message sent by said short range transmitter of said mobile data terminal (3).

7) System according to claim 6, characterised in that it is able to perform the method according to anyone of claims 1 to 5.

# ABSTRACT

\*\*\*\*\*

## Method and system for informing a person that a WLAN is accessible

The present invention concerns a method for informing a person that he or she can access to a WLAN, said person carrying or being associated with a mobile data terminal and a radiotelephone terminal.

Said method is characterised in that it consists in:

- 5       - first detecting the presence of the WLAN (2), by receiving identity or presence signals broadcasted by a or the radio access point (5) of the considered WLAN (2), with a radio receiver associated to or integrated in said mobile data terminal (3) and which is adapted and susceptible to receive
- 10       radio signals broadcasted by a WLAN, and,
- then sending a signal or a message, via a short range radio transmitter, to said radiotelephone terminal (4) equipped with an adapted receiver, in order to inform said person (1) that he or she can access to said WLAN (2).

15

- Fig. -






Fig.

